



Crude **CONDENSATE SENIPAH**

Country Indonesia

TBP  
DISTILLATION

Density at 15°C, kg/m3	779.4	Assay Date	01-Mar-16	°C	wt%	vol%	°C	wt%	vol%
°API	50.0			080	18.0	21.4	460	95.7	96.6
Bbl/mt	8.086			090	22.7	26.3	480	96.4	97.2
Acidity, mg KOH/g	0.03			100	28.6	32.4	500	97.0	97.7
Sulphur, wt%	0.031			120	39.4	43.3	520	97.5	98.1
Hydrogen Sulphide, mg/kg	1			140	49.4	53.3	540	98.0	98.5
Mercaptan Sulphur, mg/kg	4			160	61.6	65.3	560	98.4	98.8
Viscosity, cSt at 10 °C	1.7			180	70.2	73.6	580	98.7	99.1
50 °C	1.0			200	73.6	76.8			
Pour Point, °C	-36			220	77.2	80.1			
Total Nitrogen, wt%	0.010			240	80.9	83.6			
Wax, wt%	3.1			260	84.2	86.6			
Wax Appearance Temperature, °C	-			280	86.7	88.8			
RVP at 37.8 °C, kPa	59			300	88.3	90.3			
Water, vol%	-	320	89.5	91.3					
NaCl, mg/kg	-	340	90.4	92.1					
Nickel, mg/kg	0.0	360	91.4	93.0					
Vanadium, mg/kg	0.0	380	92.3	93.8					
Iron, mg/kg	-	400	93.2	94.5					
Mercury, µg/kg	-	420	94.1	95.3					
		440	94.9	96.0					

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	9.52	11.25	653	0.0020	2	87.5	81.3			6.4	0.3	133.15			
	15-80	14.34	16.40	675	0.0025	4	89.1	81.8			14.9	1.0	103.54			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	37.36	37.80	763	0.0081	6					46.2	13.2				
80-175	50.91	50.95	772	0.0100	6					46.4	13.3					
100-150	26.75	26.79	771	0.0094	6					46.9	16.4					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	23.69	22.68	807	0.018	7	15	0.03	31.4	-63		11.4	1.3			49.3
	175-230	10.14	9.53	822	0.021	7	16	0.03	35.4	-52		8.6	1.4			68.2
150-250	27.30	25.98	811	0.021	7	15	0.03	32.3	-59		10.9	1.3			50.7	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	24.32	22.20	846	0.053		63		42.7	-14	-18	-23	2.2	1.1	11.6	78.8
	230-400	14.19	12.67	865	0.077		68		46.3	-3	-4	-6	3.3	1.4	11.6	98.8
230-375	13.04	11.68	862	0.074		67		45.7	-8	-10	-11	3.0	1.3	11.6	97.9	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	6.15	5.11	930	0.13	0.2	81	0	0	0.023	98	48	6.5	2.5	11.7	0.0
	375-565	6.43	5.32	933	0.13	0.3	82	0	0	0.024	107	48	6.9	2.7	11.7	0.1
	375-580	6.67	5.51	935	0.14	0.4	82	0	0	0.026	116	49	7.3	2.8	11.7	0.1
400-580	5.53	4.53	943	0.14	0.5	82	0	0	0.030	137	51	8.8	3.2	11.7	0.1	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	7.93	6.44	951	0.17	3.1	0.0	0	0	0.057		18	13	4	-	0.3
	> 550	1.78	1.34	1029	0.30	13.1	0.0	2	1	0.177		67	754	61	58	1.3
	> 565	1.50	1.12	1037	0.31	15.0	0.0	2	1	0.198		73	1550	97	32	1.5
> 580	1.26	0.93	1044	0.33	17.2	0.0	3	1	0.222		79	3460	160	20	1.6	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.