



Crude **EKOFISK**
Country Norway

TBP
DISTILLATION

Density at 15°C, kg/m3	830.1	Assay Date	01-Oct-15	°C	wt%	vol%	°C	wt%	vol%
°API	38.9			080	9.1	11.8	460	75.2	78.4
Bbl/mt	7.591			090	10.6	13.5	480	77.8	80.8
Acidity, mg KOH/g	0.11			100	12.4	15.5	500	80.2	83.0
Sulphur, wt%	0.21			120	16.5	20.1	520	82.5	85.0
Hydrogen Sulphide, mg/kg	0			140	20.7	24.7	540	84.7	86.9
Mercaptan Sulphur, mg/kg	0			160	24.3	28.6	560	86.6	88.7
Viscosity, cSt at 10 °C	8.1			180	27.7	32.2	580	88.4	90.2
50 °C	3.2			200	31.1	35.7			
Pour Point, °C	-3			220	34.7	39.4			
Total Nitrogen, wt%	0.12			240	38.3	43.1			
Wax, wt%	-			260	42.0	46.8			
Wax Appearance Temperature, °C	-			280	45.7	50.5			
RVP at 37.8 °C, kPa	8	Ethane	0.0 0.0	300	49.4	54.1			
Water, vol%	-	Propane	0.1 0.1	320	53.1	57.6			
NaCl, mg/kg	-	Iso-Butane	0.5 0.7	340	56.6	61.1			
Nickel, mg/kg	3.0	n-Butane	2.0 2.8	360	60.1	64.4			
Vanadium, mg/kg	1.9			380	63.4	67.5			
Iron, mg/kg	0.5			400	66.5	70.4			
Mercury, µg/kg	-			420	69.6	73.2			
				440	72.4	75.9			

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	4.9	6.2	651	0.00	0	71.5	69.7			7.8	0.7	-			
	15-80	6.6	8.2	665	0.00	0	68.8	66.5			14.2	2.3	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	13.5	14.9	746	0.00	0					35.1	12.4				
80-175	17.7	19.5	753	0.00	0					34.2	13.1					
100-150	10.2	11.2	752	0.00	0					34.3	12.9					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	13.9	14.5	793	0.01	0	29	0.01	43.7	-52		18.0	0.9			50.1
	175-230	9.6	9.9	801	0.01	0	28	0.01	45.2	-47		19.1	1.0			63.3
150-250	17.6	18.2	799	0.01	0	28	0.01	45.4	-48		18.6	1.0			53.0	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	39.7	39.1	838	0.11		73		53.1	-5	-8	-11	2.5	1.2	11.9	82.7
	230-400	30.1	29.2	851	0.15		76		56.8	-1	-1	-2	3.6	1.5	12.0	110.1
230-375	26.1	25.5	847	0.13		75		56.7	-6	-6	-7	3.2	1.4	11.9	107.9	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	23.1	21.1	906	0.34	0.2	93	0	0	0.15	517	31	7.7	3.1	12.1	0.0
	375-565	24.5	22.4	908	0.35	0.3	93	0	0	0.16	547	31	8.2	3.3	12.1	0.0
	375-580	25.9	23.5	909	0.36	0.4	94	0	0	0.17	576	31	8.8	3.4	12.1	0.0
400-580	21.9	19.8	915	0.37	0.5	95	0	0	0.20	632	33	10.8	4.0	12.1	0.0	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	37.4	33.3	930	0.46	4.4	0.2	8	5	0.30		36	22	7	-	0.1
	> 550	14.3	12.2	973	0.66	11.1	0.2	21	13	0.54		38	289	40	607	0.3
	> 565	12.9	10.9	977	0.67	12.1	0.2	23	14	0.57		37	395	50	535	0.3
> 580	11.6	9.8	981	0.69	13.2	0.2	26	16	0.59		37	555	63	479	0.4	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.

TOTAL DTS / AM

Jul-21