



Crude **SURURU**

Country **Brazil**

TBP
DISTILLATION

Density at 15°C, kg/m3	885.1	Assay Date	20-Nov-20	°C	wt%	vol%	°C	wt%	vol%
°API	28.3			080	4.4	6.1	460	59.8	64.0
Bbl/mt	7.119			090	5.1	7.1	480	63.1	67.1
Acidity, mg KOH/g	0.14			100	6.0	8.1	500	66.3	70.1
Sulphur, wt%	0.35			120	8.2	10.7	520	69.5	73.0
Hydrogen Sulphide, mg/kg	2			140	10.7	13.7	540	72.5	75.8
Mercaptan Sulphur, mg/kg	43			160	13.3	16.7	560	75.3	78.4
Viscosity, cSt at 10 °C	63.8			180	15.8	19.5	580	78.0	80.9
50 °C	12.3			200	18.3	22.2			
Pour Point, °C	-18			220	20.9	25.0			
Total Nitrogen, wt%	0.26			240	23.7	28.0			
Wax, wt%	-			260	26.7	31.1			
Wax Appearance Temperature, °C	-			280	29.7	34.3			
RVP at 37.8 °C, kPa	-			300	32.9	37.6			
Water, vol%	-			320	36.2	40.9			
NaCl, mg/kg	-			340	39.5	44.2			
Nickel, mg/kg	10.1			360	42.8	47.6			
Vanadium, mg/kg	9.4			380	46.2	50.9			
Iron, mg/kg	2.7			400	49.6	54.2			
Mercury, µg/kg	-			420	53.0	57.5			
				440	56.4	60.8			

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	2.3	3.1	648	0.01	9	70.6	69.3			8.2	0.3	-			
	15-80	3.1	4.2	662	0.01	19	67.5	65.7			15.2	0.9	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	7.7	9.1	745	0.02	54					44.8	6.3				
80-175	10.9	12.7	756	0.03	52					44.9	7.7					
100-150	6.0	7.1	753	0.02	53					45.6	7.0					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	10.3	11.3	802	0.06	40	25	0.08	39.7	-59		15.1	1.0			56.2
	175-230	7.1	7.7	811	0.07	37	24	0.09	40.7	-53		16.8	1.2			69.4
150-250	13.2	14.4	808	0.07	38	24	0.09	41.4	-54		16.4	1.1			59.4	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	34.4	35.4	857	0.19		66		48.1	-4	-7	-11	3.2	1.4	11.7	84.0
	230-400	27.3	27.7	869	0.23		69		50.3	-1	-2	-3	4.5	1.8	11.7	107.7
230-375	23.1	23.6	863	0.21		68		50.5	-6	-8	-9	3.7	1.6	11.7	105.6	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	28.6	27.0	931	0.41	0.1	82	0	0	0.27	581	41	13.2	4.3	11.8	0.1
	375-565	30.7	29.0	933	0.41	0.2	83	0	0	0.29	691	42	14.5	4.6	11.8	0.2
	375-580	32.7	30.8	935	0.42	0.3	83	1	1	0.30	801	43	15.9	4.9	11.8	0.2
400-580	28.4	26.6	940	0.44	0.4	84	1	1	0.32	902	46	20.0	5.8	11.8	0.3	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	54.6	49.9	965	0.54	8.0	0.1	19	17	0.44		22	88	16	-	2.2
	> 550	26.1	22.9	1006	0.68	16.7	0.1	39	36	0.63		63	3100	165	55	4.5
	> 565	24.0	21.0	1010	0.69	18.0	0.1	42	39	0.65		67	4880	221	42	4.8
> 580	22.0	19.1	1014	0.70	19.5	0.1	45	42	0.66		70	7990	304	34	5.2	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.

TOTAL DTS / AM

Jul-21