



Crude **UPPER ZAKHUM**

Country United Arab Emirates

TBP
DISTILLATION

Density at 15°C, kg/m3	855.1	Assay Date	01-Jan-12	°C	wt%	vol%	°C	wt%	vol%
°API	33.9	Assay Quality	Good	080	8.27	11.28	460	70.67	75.11
Bbl/mt	7.367			090	9.48	12.74	480	73.64	77.81
Acidity, mg KOH/g	0.05			100	10.79	14.30	500	76.23	80.14
Sulphur, wt%	1.820			120	13.68	17.66	520	78.52	82.19
Hydrogen Sulphide, mg/kg	0			140	16.89	21.30	540	80.63	84.05
Mercaptan Sulphur, mg/kg	28			160	20.31	25.10	560	82.68	85.84
Viscosity, cSt at 10 °C	12.4			180	23.79	28.90	580	84.70	87.59
50 °C	4.5			200	27.15	32.52			
Pour Point, °C	-37			220	30.30	35.86			
Total Nitrogen, wt%	0.087			240	33.31	39.01			
Wax, wt%	-		wt% vol%	260	36.46	42.26			
Wax Appearance Temperature, °C	-			280	40.11	45.98			
RVP at 37.8 °C, kPa	52	Ethane	0.03 0.07	300	44.14	50.01			
Water, vol%	-	Propane	0.53 0.89	320	47.49	53.32			
NaCl, mg/kg	0.5	Iso-Butane	0.42 0.64	340	50.32	56.07			
Nickel, mg/kg	9.8	n-Butane	1.21 1.76	360	53.32	58.96			
Vanadium, mg/kg	11.0			380	56.61	62.08			
Iron, mg/kg	-			400	60.13	65.38			
Mercury, µg/kg	-			420	63.76	68.76			
				440	67.33	72.05			

PROPERTIES OF TBP CUTS

LIGHT NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH	RON	MON			Napht.	Aro.	RVP			
	°C	wt%	vol %	kg/m3	wt%	mg/kg	clear	clear			vol%	vol%	kPa			
	15-65	4.44	5.88	642	0.0018	4	68.0	67.6			2.7	0.3	-			
	15-80	6.08	7.92	653	0.0022	6	63.6	63.5			4.5	0.9	-			
HEAVY NAPHTHA	Cuts	Yield	Yield	Den 15°C	S	RSH					Napht.	Aro.				
	°C	wt%	vol %	kg/m3	wt%	mg/kg					vol%	vol%				
	80-150	10.32	11.92	736	0.0100	11					16.9	10.7				
80-175	14.66	16.69	747	0.0150	12					18.3	12.1					
100-150	7.80	8.89	746	0.0117	11					18.2	12.1					
KEROSENE	Cuts	Yield	Yield	Den 15°C	S	RSH	Smoke	Acidity	Cetane	Freez. Pt		Aro.	Visc cSt			Flash
	°C	wt%	vol %	kg/m3	wt%	mg/kg	Pt mm	mgKOH/g	Index	°C		vol%	50°C			Point
	150-230	13.22	14.25	789	0.074	13	25	0.04	44.8	-49		17.1	1.0			-
	175-230	8.88	9.48	797	0.098	14	24	0.04	46.5	-43		17.9	1.1			-
150-250	16.25	17.40	794	0.123	14	25	0.04	46.0	-44		17.8	1.1			-	
GASOIL	Cuts	Yield	Yield	Den 15°C	S		Anilin		Cetane	Cloud Pt	CFPP	Pour Pt	Visc cSt	Visc cSt	UOPK	Flash
	°C	wt%	vol %	kg/m3	wt%		Point °C		Index	C	C	C	50°C	100°C		Point
	175-400	37.20	37.42	846	1.160		69		50.4	-2	-6	-11	2.7	1.3	11.8	-
	230-400	28.32	27.94	862	1.490		72		52.3	2	0	-2	4.0	1.7	11.8	-
230-375	23.96	23.83	855	1.330		71		53.0	-3	-5	-7	3.3	1.5	11.8	-	
VACUUM DISTILLATE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Anilin	Ni	Va	Total N	Bas N	Pour Pt	Visc cSt	Visc cSt	UOPK	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	Point °C	mg/kg	mg/kg	wt%	mg/kg	C	100°C	150°C		wt %
	375-550	25.89	23.67	930	2.71	0.7	83	0	0	0.085	235	43	8.8	3.3	11.7	0.4
	375-565	27.42	25.00	933	2.75	1.0	83	1	1	0.090	249	45	9.6	3.5	11.7	0.5
	375-580	28.94	26.31	935	2.79	1.4	83	1	1	0.096	264	48	10.5	3.8	11.7	0.7
400-580	24.57	22.21	941	2.86	1.6	84	1	1	0.106	304	52	13.1	4.4	11.7	0.8	
RESIDUE	Cuts	Yield	Yield	Den 15°C	S	Conrad.	Acidity	Ni	Va	Total N		Pour Pt	Visc cSt	Visc cSt	Pene	Asp C7
	°C	wt%	vol %	kg/m3	wt%	wt%	mgKOH/g	mg/kg	mg/kg	wt%		C	100°C	150°C	mm/10	wt%
	> 375	44.23	38.72	972	3.37	11.1	0.1	22	25	0.191		13	45	11	21100	3.8
	> 550	18.34	15.05	1037	4.28	25.9	0.1	53	60	0.341		45	3190	192	180	8.7
	> 565	16.82	13.72	1042	4.37	27.7	0.1	57	64	0.356		47	5190	266	155	9.2
> 580	15.30	12.41	1048	4.45	29.6	0.1	62	70	0.372		48	8850	379	138	9.8	

This crude oil data sheet is for information purposes only. No guaranty is given as to its accuracy or as to any consequences arising from its use.